## WHAT IS CLAIMED IS

5

10

15

25

30

 A magnetic recording and/or reproducing apparatus comprising:

equalization means for equalizing a signal sequence which is reproduced from a magnetic recording medium and outputting an equalized waveform; and

conversion means for converting the equalized waveform into a maximum likelihood sequence by carrying out metric calculation based on average values of the equalized waveform.

20 2. The magnetic recording and/or reproducing apparatus as claimed in claim 1, further comprising:

error detection and correction means for carrying out an error detection and an error correction with respect to the maximum likelihood sequence using a parity bit,

said error detection and correction means carrying out the error correction by comparing a sequence which is obtained by convolution of the maximum likelihood sequence and the average values of the equalized waveform, with the equalized waveform.

35

3. The magnetic recording and/or

reproducing apparatus as claimed in claim 1, further comprising:

memory means for storing a conversion table which includes the average values of the equalized waveform.

10 4. The magnetic recording and/or reproducing apparatus as claimed in claim 3, further comprising:

control means for updating said conversion table at an arbitrary timing.

15

20

25

30

- 5. A magnetic recording and/or reproducing apparatus comprising:
- a look-up table which stores compensation amounts based on errors between ideal values and average values of a reproduced waveform of a signal sequence reproduced from a magnetic recording medium or average values of an equalized waveform which is obtained by equalization of the reproduced waveform; and

a compensation circuit which carries out a recording compensation with respect to a non-linear distortion based on said look-up table when recording the signal sequence on the magnetic recording medium.

35

6. The magnetic recording and/or

reproducing apparatus as claimed in claim 5, wherein said look-up table includes polarity information of magnetic transition.

5

7. The magnetic recording and/or reproducing apparatus as claimed in claim 5, wherein the compensation amounts reflect effects of the magnetic transition of three or more preceding bits.

15

30

35

8. The magnetic recording and/or reproducing apparatus as claimed in claim 5, further comprising:

control means for updating said look-up table 20 at an arbitrary timing.

9. A magnetic recording and/or reproducing apparatus comprising:

reproducing means for reproducing a signal sequence from a magnetic recording medium and outputting a reproduced waveform;

equalization means for equalizing the reproduced waveform and outputting an equalized waveform;

a look-up table which stores compensation amounts based on errors between ideal values and average values of the reproduced waveform or average values of the equalized waveform; and

a compensation circuit which carries out a

recording compensation with respect to a non-linear distortion based on said look-up table when recording the signal sequence on the magnetic recording medium.

5

10. The magnetic recording and/or
10 reproducing apparatus as claimed in claim 9, further
comprising:

memory means for storing said look-up table, and a conversion table which includes the average values of the equalized waveform.

15

11. The magnetic recording and/or
20 reproducing apparatus as claimed in claim 10,
further comprising:

control means for updating said conversion table and/or said look-up table at an arbitrary timing.

25

\_\_\_\_

35

12. A magnetic recording and/or
30 reproducing apparatus comprising:

an equalization section which carries out an equalization with respect to a signal sequence reproduced from a magnetic recording medium, and outputs an equalized waveform; and

a conversion section which converts the equalized waveform into a maximum likelihood sequence by carrying out metric calculation based on

average values of the equalized waveform.

5

10

15

13. A magnetic recording and/or reproducing apparatus comprising:

a reproducing section which reproduces a signal sequence from a magnetic recording medium and outputs a reproduced waveform;

an equalization section which carries out an equalization on the reproduced waveform and outputs an equalized waveform;

a look-up table which stores compensation amounts based on errors between ideal values and average values of the reproduced waveform or average values of the equalized waveform; and

a compensation circuit which carries out a recording compensation with respect to a non-linear distortion based on said look-up table when recording the signal sequence on the magnetic recording medium.

25

20

30

35